

## Fluid-Vac MFV 1000

### *A Fast and Efficient Fluid Management System*

- ▶ General Purpose Machine can be Used for Multiple Applications
- ▶ Performs a Simple and Safe Fluid Evacuation or Exchange in Just Minutes
- ▶ Easy to Use Valves for Optimal Flow Control
- ▶ Air Powered Pump Will Pull 24 Inches of Vacuum and Handle 90 Weight Fluids
- ▶ Sturdy, Rotomolded Cabinet Will Not Damage the Vehicle
- ▶ Small Footprint Occupies Minimal Space
- ▶ Portable, Operates With Shop Air



One-Drop Lubricant Test Pad  
Part No. 400-0154

Part No. 500-9050



# MOTORVAC FLUID-VAC MFV 1000

## Why Use the Fluid-Vac MFV 1000?

The Fluid-Vac 1000 is designed to quickly extract various types of fluid, up to 90-weight, in a vehicle's system in just a few simple steps. The Fluid-Vac 1000 can also be used as a general purpose machine to perform a fast, easy and basic fluid exchange. The machine is easy to use and does not require detaching any lines, hoses or making time consuming connections.

## How The Fluid-Vac MFV 1000 Works

The Fluid-Vac 1000 extracts fluid directly from any reservoir and allows a basic exchange to be performed in just minutes. The unit can be used as a handy shop tool to remove a portion of various types of fluids when required and easily replace it with the same or new fluid with a fast and efficient procedure.

Normally, when a technician drains fluid from a vehicle, the process is time consuming, messy and dangerous. The Fluid-Vac 1000 uses a simple, but effective process with easy-to-use control valves that allow a technician to perform a basic, quick and safe fluid extraction or exchange from practically any type of system.



**A Handy Shop Tool that can be used for multiple applications!**

## Features

- Static fluid exchange
- Easy to use valves regulates system pressure and fluid evacuation
- Front panel controls all machine functions
- Air powered pump

## Benefits

- Free 1-800 Technical Support Team
- Simple – Extracts or exchanges fluid from any reservoir
- Easy – Accessible control valves for all operations on the front panel
- Safe – Avoids spilled fluids on the floor and won't harm the system
- Fast – Procedure takes just a few minutes
- Convenient – Quickly hooks-up to shop air connection
- Reliable – Durable components designed for rugged use and longevity

## Technical Specifications

- ▶ Air power supply operation
- ▶ Hose - 8 ft. (2.43 m.) Output and Return with Quick Coupling
- ▶ Tank - 2 - 26 Quart Fluid: Clean and Waste
- ▶ Air diaphragm pump / pneumatic
- ▶ Manual control ball valves
- ▶ Ship Weight - 70 lbs.
- ▶ Ship Height - 41" (104.14 cm.)
- ▶ Ship Width - 24" (60.96 cm.)
- ▶ Ship Depth - 19" (48.26 cm.)
- ▶ Cabinet - Rotomolded
- ▶ One Year Limited Warranty

**The Fluid-Vac MFV 1000 can be used to extract or exchange the following fluids:**

- ▶ Differential
- ▶ Motor Oil
- ▶ Coolant

- ▶ Transmission
- ▶ Power Steering



MotorVac Technologies  
1431 South Village Way, Santa Ana, CA 92705 USA  
tel 714-558-4822 800-841-8810 fax 714-558-0754 ▶ [www.motorvac.com](http://www.motorvac.com)  
©2009 MotorVac Technologies. MotorVac is a registered trademark of MotorVac Technologies



RO# MT9050SS