

HOFMANN®



EEWA715H

***geoliner*® 670 XD**

WHEEL ALIGNER

FULLY FEATURED, HIGHLY ACCURATE WHEEL ALIGNMENT SYSTEMS



VERSATILE, ACCURATE HARDWARE

- High resolution cameras produce accurate, live alignment readings and diagnostic data
- Passive front and rear XD targets improve durability with no electronics to damage
- Advanced XD targets and AC400 clamps are lightweight, durable and impact resistant

ADVANCED DIMENSIONING*

- Cross-diagonal* measurements identify frame or structural damage
- Rolling Radius* identifies mismatched tire sizes; a potential cause of vehicle pulling and driver complaints



*Patented and/or Patent-Pending Features
US 6,823,246
US 6,237,234

GEOLINER® 670 XD FEATURES

Patented imaging technology provides accurate and real-time measurements that improve productivity. User friendly features such as EZ-TOE*, VODI™* and an extensive vehicle specification database delivers customer satisfaction, ease of use and accuracy.

AC400 CLAMPS WITH XD TARGETS

Weighing in at 6.9 lbs (3.3 kg) and measuring only 6" x 8" (152mm x 203mm), the AC400/XD package is the smallest and lightest we've ever made

RIDE HEIGHT* MEASUREMENT

Measure ride height and obtain proper alignment specs for those vehicles requiring it

USER-FRIENDLY INTERFACE

Use available step-by-step instructions as a guide for completing even the most complex tasks

MANUFACTURER SPECS

Extensive OEM specs allow quick and accurate vehicle selection

EZ-TOE*

Turn the front wheels and access difficult adjustment points while still displaying centered toe readings

HELP VIDEOS

View detailed videos of how to make needed adjustments to complete even the most complex tasks

VODI™

Vehicle Orientation Directional Indicator* - guides the technician through the measurement process


*Patented and/or Patent-Pending Features

US 5,832,617

US 5,943,037

US 6,912,477

AVAILABLE WITH THE AC400 TOUCHLESS WHEEL CLAMP



FAST AND EASY TO USE

- Clamping is accomplished with a single fast-action adjustment knob
- No accessories needed to accommodate the full range of tire sizes
- Large, comfortable handle allows ergonomic use



SECURE CLAMPING WITHOUT TOUCHING THE RIM

- Only the tire is contacted
- Clutch limited clamping force ensures accurate and repeatable results
- Durable and lightweight magnesium construction
- XD targets are lighter and take up less space than previous designs



SPECIFICATIONS

Equipment Specifications

- Tire diameter: 13" - 24" (33cm - 61cm)
- Track width: 48" - 96" (122cm - 244cm)
- Wheel Base: 79" - 180" (201cm - 457cm)
- Printer: Included
- Shipping weights: 445 lbs (202kg)
- Power requirements: 120/230V 1Ph 50/60Hz

AC400 Specifications

- Weight: 6.9 lbs (3.3kg)
- Clamping Force: 37 lbs (164.6 N)
- Construction: Cast magnesium

ACCESSORIES

Optional Accessories

- ETHOS® Plus Scan Tool: EAK0284B11A
- AC200 wheel clamp accessory kit*: EAK0320J34A
- AC400 wheel clamp accessory kit**: EAK0320J35A
- Drive-on camera aid: EAK0289J91A
- Hub adapter kit for wheels-off alignment: EAK0222J83B
- AC200 universal wheel clamp extension kit: EAK0268J62A
- Fixed-height camera support: EAA0321J01A
- Variable-height camera support: EAA0321J19C
- Electronic-tilt camera system: EAK0305J79A
- AC400 Dually adator kit: EAK0305J50A
- VIN code reader: EAK0289J86B

Standard Accessories

- Wheel clamps & targets
- Steering wheel holder
- Brake pedal depressor
- Two wheel chocks

*Standard with EEWA715G

**Standard with EEWA715H

AVAILABLE CONFIGURATIONS

- *geoliner* 670 XD Equipped with AC400 Touchless Alignment Clamps and XD Targets - EEWA715H
- *geoliner* 670 XD Equipped with AC200 Alignment Clamps and XD Targets - EEWA715G



USA

309 Exchange Avenue • Conway, AR 72032
(800) 251-4500 • (501) 505-2662
Fax (501) 450-2085 • www.hofmann-usa.com

Canada

6500 Millcreek Drive • Mississauga, ONT L5N 2W6
(800) 267-2185
Fax (905) 821-2073 • www.hofmann.ca